

PI / 86-13564385795; yawenhe@sjtu.edu.cn

/

1992

1995

1997 9

(National University of Singapore, NUS)

(Institute of Molecular

Agrobiological)

(Institute of Molecular and Cell Biology, IMCB)

2010 6

- 1.
- 2.
- 3.

1. (; * #)

Chen B, Li RF, Zhou L, Qiu JH, Song K, Tang JL, **He Ya-Wen**. The phytopathogen *Xanthomonas campestris* utilizes the divergently transcribed pobA/pobR locus for 4-hydroxybenzoic acid recognition and degradation to promote virulence. *Molecular Microbiology*, 2020 Nov;114(5):870-886.

Jin ZJ, Zhou L, Sun S, Cui Y, Song K, Zhang X, **He Ya-Wen**. Identification of a Strong Quorum Sensing- and Thermo-Regulated Promoter for the Biosynthesis of a New Metabolite Pesticide Phenazine-1-carboxamide in *Pseudomonas* strain PA1201. *ACS Synthetic Biology*. 2020 Jul 17;9(7):1802-1812.

He Ya-Wen, Cao XQ, Poplawsky AR Dr. Chemical structure, biological roles, biosynthesis and regulation of the yellow xanthomonadin pigments in the phytopathogen *Xanthomonas*. *Molecular Plant Microbe Interactions*. 2020, 33(5):705-714.

Sun S, Tan LT, Fang YL, Jin ZJ, Zhou L, Goh BH, Lee LH, Zhou J, **He Ya-Wen**. Overexpression of oxyR Increases Phenazine-1-Carboxylic Acid Biosynthesis via Small RNA phrS in the Rhizobacterium Strain *Pseudomonas* PA1201. *Molecular Plant Microbe Interactions*. 2020 Mar;33(3):488-498.

Cao XQ, Ouyang XY, Chen B, Song K, Zhou L, Jiang BL, Tang JL, Ji G, Poplawsky AR, **He Ya-Wen**. Genetic Interference Analysis Reveals that Both 3-Hydroxybenzoic Acid and 4-

- Hydroxybenzoic Acid Are Involved in Xanthomonadin Biosynthesis in the Phytopathogen *Xanthomonas campestris* pv. *campestris*. **Phytopathology**. 2020 Feb;110(2):278-286.
- Keswani C, Singh HB, García-Estrada C, Caradus J, **He Ya-Wen**, Mezaache-Aichour S, Glare TR, Borriss R, Sansinenea E. Antimicrobial secondary metabolites from agriculturally important bacteria as next-generation pesticides. **Applied Microbiology and Biotechnology**. 2020 Feb;104(3):1013-1034.
- Yang Q, Song L, Miao Z, Su M, Liang W, **He Ya-Wen**. Acetylation of BcHpt Lysine 161 Regulates *Botrytis cinerea* Sensitivity to Fungicides, Multistress Adaptation and Virulence. **Front Microbiol**. 2020 Jan 8;10: 2965.
- Thawai C, Bunbamrung N, Pittayakhajonwut P, Chongruchiroj S, Pratuangdejkul J, **He Ya-Wen**, Tadtong S, Sareedenchai V, Prombutara P, Qian Y. A novel diterpene agent isolated from *Microbispora hainanensis* strain CSR-4 and its *in vitro* and *in silico* inhibition effects on acetylcholine esterase enzyme. **Sci Rep**. 2020 Jul 6;10(1):11058.
- Law JW, Chan KG, **He Ya-Wen**, Khan TM, Ab Mutalib NS, Goh BH, Lee LH. Diversity of *Streptomyces* spp. from mangrove forest of Sarawak (Malaysia) and screening of their antioxidant and cytotoxic activities. **Sci Rep**. 2019 Dec 3;9(1):15262.
- Chee PY, Mang M, Lau ES, Tan LT, **He Ya-Wen**, Lee WL, Pusparajah P, Chan KG, Lee LH, Goh BH. Epinecidin-1, an Antimicrobial Peptide Derived From Grouper (*Epinephelus coioides*): Pharmacological Activities and Applications. **Front Microbiol**. 2019 Nov 20;10:2631.
- Keswani C, Singh HB, Hermosa R, García-Estrada C, Caradus J, **He Ya-Wen**, Mezaache-Aichour S, Glare TR, Borriss R, Vinale F, Sansinenea E. Antimicrobial secondary metabolites from agriculturally important fungi as next biocontrol agents. **Appl Microbiol Biotechnol**. 2019 Dec;103(23-24):9287-9303.
- Zhou L, Li M, Wang XY, Liu H, Sun S, Chen H, Poplawsky A, **He Ya-Wen**. Biosynthesis of Coenzyme Q in the Phytopathogen *Xanthomonas campestris* via a Yeast-Like Pathway. **Mol Plant Microbe Interact**. 2019 32(2):217-226.
- Diab AA, Cao XQ, Chen H, Song K, Zhou L, Chen B, **He Ya-Wen**. BDSF Is the Predominant In-Planta Quorum-Sensing Signal Used During *Xanthomonas campestris* Infection and Pathogenesis in Chinese Cabbage. **Mol Plant Microbe Interact**. 2019, 32(2):240-254.
- Thawai C, **He Ya-Wen**, Tadtong S. *Jishengella zingiberis* sp. nov., isolated from root tissue of *Zingiber montanum*. **Int J Syst Evol Microbiol**. 2018 Oct; 68(10):3345-3350.
- Cao, XQ, Zhou L, Chen B, **He Ya-Wen**. Biosynthesis of *Xanthomonas* yellow pigment xanthomonadins involves an ATP-dependent 3- HBA:ACP ligase and an unusual type II polyketide synthesis pathway. **Molecular Microbiology**. 2018, Oct; 110(1):16-32.
- Qi X, Qu H, Yang D, Zhou L, **He Ya-Wen**, Yu Y, Qu J, Liu J. Lower respiratory tract microbial composition was diversified in *Pseudomonas aeruginosa* ventilator-associated pneumonia patients. **Respir Res**. 2018 Jul 27;19(1):139.
- Fang Y L, Chen B, Zhou L, **He Ya-Wen**. The mechanism underlying the regulatory roles of anti-activator QslA on the biosynthesis of phenazine-1-carboxylic acid in *Pseudomonas aeruginosa* PA1201. **Frontiers in Microbiology**. 2018, Jul 25; 9:1584.
- Zhou L, Sun S, Zhang W, **He Ya-Wen**. Ultra-Performance Liquid Chromatography/Mass Spectrometry for the Detection and Quantification of Diffusible Signal Factor (DSF) Family Quorum-Sensing Signals. **Methods Mol Biol**. 2018, 1673:97-105.
- Sun S, Chen B, Jin ZJ, Zhou L, Fang YL, Thawai C, Rampioni G, **He Ya-Wen**. Characterization of the multiple molecular mechanisms underlying RsaL control of phenazine-1-carboxylic acid biosynthesis in the rhizosphere bacterium *Pseudomonas aeruginosa* PA1201. **Molecular Microbiology**. 2017, 104(6):931-947.

- Zhou L, Wang X, Zhang W, Sun S, **He Ya-Wen**. Extraction, Purification and Quantification of Diffusible Signal Factor Family Quorum Sensing Signal Molecules in *Xanthomonas*. **Bio-protocol**, 2017, 7(6): e2190.
- Zhou L, Zhang LH, Cámara M, **He Ya-Wen**. The DSF Family of Quorum Sensing Signals: Diversity, Biosynthesis, and Turnover in *Xanthomonas*. **Trends in Microbiology**. 2017, 25(4):293-303.
- Sun S, Zhou L, Jin K, Jiang H, **He Ya-Wen**. Quorum sensing systems differentially regulate the production of phenazine-1-carboxylic acid in the rhizobacterium *Pseudomonas aeruginosa* PA1201. **Scientific Reports**, 2016, 6:30352.
- Wang Xing-Yu, Zhou Lian, Yang J, Ji Guang-Hai, **He Ya-Wen**. The RpfB-Dependent Quorum Sensing Signal Turnover System Is Required for Adaptation and Virulence in the Pathogen *Xanthomonas*. **Molecular Plant-Microbe Interactions**. 2016, 29(3):220-30.
- Zhou Lian, Jiang Haixia, Sun Shuang, Yang Dandan, Jin Kaiming, **He Ya-Wen**. Biotechnological potential of a rhizosphere *Pseudomonas aeruginosa* strain producing phenazine-1-carboxylic acid and phenazine-1-carboxamide. **World Journal of Microbiology and Biotechnology**, 2016, 32(3):50.
- Zhou Lian*, Wang Xing-Yu*, Sun Shuang, Yang Li-Chao, Jiang Bo-Le, **He Ya-Wen**. Identification and Characterization of Naturally Occurring DSF-Family Quorum Sensing Signal Turnover System in the Phytopathogen *Xanthomonas*. **Environmental Microbiology**, 2015, 17(11):4646-4658.
- Jin Kaiming*, Zhou Lian*, Jiang Haixia, Sun Shuang, Fang Yunling, Liu Jianhua, Zhang Xuehong, **He Ya-Wen**. Engineering the central biosynthetic and secondary metabolic pathways of *Pseudomonas aeruginosa* strain PA1201 to improve phenazine-1-carboxylic acid production. **Metabolic Engineering**, 2015, 32:30-38.
- Wang Jia-Yuan*, Zhou Lian*, Chen Bo, Sun Shuang, Zhang Wei, Li Ming, Tang H, Jiang Bo-Le, Tang Ji-Liang, **He Ya-Wen**. A functional 4-hydroxybenzoate degradation pathway in the phytopathogen *Xanthomonas campestris* is required for full pathogenicity. **Scientific Reports**, 2015, 5: 18456.
- Zhou Lian, Yu Yonghong, Chen Xiping, Diab AA, Ruan Lifang, He Jin, Wang Haihong[#], **He Ya-Wen**[#]. The Multiple DSF-family QS Signals are synthesized from Carbohydrate and Branched-chain Amino Acids via the FAS Elongation Cycle. **Scientific Reports**, 2015, 5:13294.
- Xu Shu, Pan X, Luo J, Wu J, Zhou Z, Liang X, **He Ya-Wen**, Zhou Mingguo. Effects of phenazine-1-carboxylic acid on the biology of the plant-pathogenic bacterium *Xanthomonas oryzae* pv. *oryzae*. **Pesticide Biochemistry and Physiology**, 2015, 117:39-46.
- Xu Jing, Zhou Lian, Venturi V, **He Ya-Wen**, Kojima M, Sakakibari H, Höfte M, De Vleeschauwer D. Phytohormone-mediated interkingdom signaling shapes the outcome of rice-*Xanthomonas oryzae* pv. *oryzae*

- for differential regulation of secondary metabolite biosynthesis and colony morphology. *Applied and Environmental Microbiology*. 2013, 79(21): 6604-6616.
- Wu Da-Qiang, Ye Jing, Ou Hong-Yu, Wei Xue, Huang Xianqing, **He Ya-Wen**[#] and Xu Yuquan[#]. Genomic analysis and temperature-dependent transcriptome profiles of the rhizosphere originating strain *Pseudomonas aeruginosa* M18. *BMC Genomics* 2011, 12 438.
- Zhou Lian, Vorholter FJ, He Ying-Qiang, Jiang Bo-Le, Tang Ji-Liang, Xu Yuquan, Puhler A[#], **He Ya-Wen**[#]. Gene discovery by genome-wide CDS re-prediction and microarray-based transcriptional analysis in phytopathogen *Xanthomonas campestris*. *BMC Genomics*, 2011, 12(1):359.
- He Ya-Wen**[#], Wu Jien, Zhou Lian, Yang Fan, Jiang Bo-Le, Tang Ji-Liang, Bai Linqun, Xu Yuquan, Deng Zixin, Zhang Lian-Hui[#]. *Xanthomonas campestris* diffusible factor is 3-hydroxybenzoic acid and associated with xanthomonadin biosynthesis, cell viability, antioxidant activity and systemic invasion. *Molecular Plant-Microbe Interactions*, 2011, 24(8):948-57.
- He Ya-Wen**^{*}, Wu JE, Cha JS, Zhang LH (2010) Rice bacterial blight pathogen *Xanthomonas oryzae* pv. *oryzae* produces multiple DSF-family signals in regulation of virulence factor production. *BMC Microbiology*, 10:187.
- Cheng Z^{*}, **He Ya-Wen**^{*}, Lim SC^{*}, Qamra R^{*}, Walsh MA, Zhang LH, Song H (2010) Structural Basis of the Sensor-Synthase Interaction in Autoinduction of the Quorum Sensing Signal DSF Biosynthesis. *Structure*, 18(9):1199-1209.
- Tao F, **He Ya-Wen**, Wu DH, Swarup S, Zhang LH (2010) The cyclic nucleotide monophosphate domain of *Xanthomonas campestris* global regulator Clp defines a new class of cyclic di-GMP effectors. *The Journal of Bacteriology*, 192(4):1020-9.
- He Ya-Wen**, Boon C, Zhou L, Zhang LH (2009) Co-regulation of *Xanthomonas campestris* virulence by quorum sensing and a novel two-component regulatory system RavS/RavR. *Molecular Microbiology*, 71(6):1464-1476.
- He Ya-Wen**, Zhang LH (2008) Quorum Sensing and Virulence Regulation in *Xanthomonas campestris*. *FEMS Microbiology Reviews*, 32: 842-857.
- Boon C, Deng Y, Wang LH, **He Ya-Wen**, Xu JL, Fan Y, Pan SQ, Zhang LH (2008) A novel DSF-like signal from *Burkholderia cenocepacia* interferes with *Candida albicans* morphological transition. *International Society of Microbial Ecology Journal (ISMEJ)*, 2(1):27-36.
- He Ya-Wen**, Ng YJ, Xu M, Lin K and Zhang LH (2007) *Xanthomonas campestris* cell-cell communication involves a nucleotide receptor protein Clp and a hierarchical signaling network. *Molecular Microbiology*, 64(2):281-292.
- He Ya-Wen**, Wang C, Zhou L, Song H, Dow JM, Zhang LH (2006) Dual signaling functions of the hybrid sensor kinase RpfC of *Xanthomonas campestris* involve either phosphorelay or receiver domain-protein interaction. *The Journal of Biological Chemistry*, 281:33414-33421.
- Ryan RP, Fouhy Y, Lucey JF, Crossman LC, Spiro S, **He Ya-Wen**, Zhang LH, Heeb S, Camara M, Williams P, Dow JM (2006) Cell-cell signaling in *Xanthomonas campestris* involves an HD-GYP domain protein that functions in cyclic di-GMP turnover. *Proceedings of National Academy of Science of USA*, 103(17):6712-6717.
- He Ya-Wen**, Xu M, Lin K, Ng YJ, Wen CM, Wang LH, Liu ZD, Zhang HB, Dong YH, Dow JM and Zhang LH (2006) Genome scale analysis of diffusible signal factor regulon in *Xanthomonas campestris* pv. *campestris*: identification of novel cell-cell communication-dependent genes and functions. *Molecular Microbiology*, 59(2):610-622.
- Wang LH, **He Ya-Wen**, Gao YF, Wu JE, Dong YH, Wang RB, He CZ, Wang SX, Weng LX, Xu JL, Tay L, Fang RX, Zhang LH (2004) A bacterial cell-cell communication signal with cross-kingdom structural analogs. *Molecular Microbiology*, 51(3):903-12.

- Lo J, Lee S, Xu M, Liu F, Ruan H, Eun A, **He Ya-Wen**, Ma W, Wang W, Wen Z, Peng J (2003) 15,000 unique zebrafish est clusters and their future use in microarray for profiling gene expression patterns during embryogenesis. *Genome Research*, 13: 455-466.
- Lee S, Cheng H, King KE, Wang W, **He Ya-Wen**, Hussain A, Lo J, Harberd NP, Peng J (2002) Gibberellin regulates *Arabidopsis* seed germination via RGL2, a GAI/RGA-like gene whose expression is up-regulated following imbibition. *Genes and Development*, 16:646-658.
- He Ya-Wen** and Loh CS (2002) Induction of early bolting in *Arabidopsis thaliana* by triacontanol, cerium and lanthanum is correlated with increased endogenous concentration of isopentenyl adenosine (iPA_{dos}). *Journal of Experimental Botany*, 53 (368):505-512.
- He Ya-Wen** and Loh CS (2000) Cerium and lanthanum promote floral initiation and reproductive growth of *Arabidopsis thaliana*. *Plant Science*, 159:117-124.

2. / ():
 _____ DSF-
- # # _____
 _____ 2021, 61(1): 68 76
 _____* _____, 2020, 9(4)
- 141-155 _____ PA1201
 _____ 2020 47 8 2399-2408 _____
 _____ 2019 28
- 5 385-393 _____
 _____* _____ DSF-
- _____ 2018 7 4 156-164.
 _____ 2015 42 1338-1349
- 2015 7 883-891 _____
 _____, 2015,38(1):70-77.
- 2014, 16 4 387-393 _____ DSF
 _____ 2013, 46 14 2910-2922
- _____ 1996 4 3 72-74
- _____ 1996 4 2 77-82
- _____ 1996 4 1 5-57
- _____ 1998 14 1 58-63

1996 12 106-110

1998 31 1 79-85

1998 6 2 152-157

3. /

(1)

100

2014 66-77

(2) **He Ya-Wen**, Chou Shan-Ho. Chapter 13. Cyclic di-GMP Regulation in Plant-Pathogenic Bacteria. In: *Virulence Mechanisms of Plant-Pathogenic Bacteria* (Edited by Wang N, Jones JB, Sundin GW). APS Press, St. Paul, Minnesota, USA, 2015, pp. 107-124.

(3) Zhou Lian, Sun Shuang, Zhang Wei, **He Ya-Wen**. Ultra-Performance Liquid Chromatography/Mass Spectrometry for the detection and quantification of Diffusible Signal Factor (DSF) family quorum sensing signals. In: *Quorum Sensing Methods and Protocols* (Edited by Livia Leoni, Giordano Rampioni). Humana Press, UK, 2017, pp. 97-106.

(4) **He Ya-Wen**, Qian Wei, Chou San-Ho. Chapter 25 Cyclic di-GMP Signaling in the Phytopathogen *Xanthomonas campestris* pv. *campestris*. In: S.-H. Chou et al. (eds.), *Microbial Cyclic Di-Nucleotide Signaling* 048 Tc[ng]TJETQq0.000008871 0 595.32 841.92 reW* nBT